

REVEL EXECUTIVE/CONFERENCE

Upholstered Mid Back Swivel 3507 - S2 (Swivel Tilt Control)

Overall Dimensions	26"w x 26"d x 36"-41.25"h	Shipping Weight	Armless 47.5 lbs. Arms 53.7 lbs.	
Seat Dimensions	19.5"w x 17.5"d x 16"-21"h	COM/COV	1.73 yds.	
Back Dimensions	19.5"w x 20"h	COL	43.7 sq. ft.	

Upholstered Mid Back Swivel 3507 - E1 (Basic Synchro Tilt Control)

Overall Dimensions	26"w x 26"d x 36"-41.25"h	Shipping Weight	Armless 50.5 lbs. Arms 56.7 lbs.	
Seat Dimensions	19.5"w x 17.5"d x 16"-21"h	COM/COV	1.73 yds.	
Back Dimensions	19.5"w x 20"h	COL	43.7 sq. ft.	

Upholstered Mid Back Swivel 3507 - M2 (Multi-Function with Internal Back Height Adjustme Control)

Overall Dimensions	26"w x 26"d x 36.5"-41.75"h	Shipping Weight	Armless 56.3 lbs. Arms 62.5 lbs.	
Seat Dimensions	19.5"w x 17.5"d x 16.5"-21.5"h	COM/COV	1.73 yds.	
Back Dimensions	19.5"w x 20"-22"h	COL	43.7 sq. ft.	

Upholstered Mid Back Swivel 3507 - R3 (Body Balance Control)

Overall Dimensions	26"w x 26"d x 36.5"-41.75"h	Shipping Weight	Armless 52.6 lbs. Arms 58.8 lbs.	
Seat Dimensions	19.5"w x 17.5"d x 16.5"-21.5"h	COM/COV	1.73 yds.	
Back Dimensions	19.5"w x 20"h	COL	43.7 sq. ft.	

Standard Features	Options Available
<ul style="list-style-type: none"> • 300 lbs. Weight Rating on mechanisms • Tailored Contemporary Styling • Upholstered Mid Back Swivel • Armless • Molded Back and Seat Foam • High Profile Fiberglass Reinforced Nylon Base • Lifetime Warranty with 5 Year Warranty on Upholstery • ANSI/BIFMA X5.1-2011 Certified • CAL TB 117-2013 Certified • 48-Hour Speed Ship or Express Ten Day Turnaround 	<ul style="list-style-type: none"> • Four Swivel Control Options • Three Arm Options • Internal Back Height Adjustment (E1 or R3; standard on M2) • High Profile Polished Aluminum Base • Soft Wheel Casters • Glides • Seat Slider (M2, E1 or R3) • Fabric, Leather, or Vinyl • Fully assembled chair in carton • CAL TB 133 Certified

Standard Textile Selection

<http://highmarkergo.com/design-resources/textiles/hm/search>
 • All textiles meet CAL TB 117-2013

Frame Construction

Seat	<ul style="list-style-type: none"> • 5/8" one-piece multicore hardwood plywood • Fitted with riveted "T" nuts fixed on both sides of the plywood to prevent dislodging • Self locking, hardened steel, Hex/Socket/Phillips head bolts hold the seat control to the seat pan, two more than the industry standard • Bolts are treated with "NYLOK", a military specified locking compound designed to prevent bolts from loosening due to vibration. The "NYLOK" fasteners semi-permanently secure all hardware seat and back. Locking compound will eliminate bolts backing out of the "T" nuts during normal use.
Back	<ul style="list-style-type: none"> • Durable steel structure upholstered with 100% high tenacity polyester, providing a maximum comfort and support

REVEL EXECUTIVE/CONFERENCE

Frame Construction *continued*

- Upholstery
 - All textiles meet CAL TB 117-2013
- Controls
 - S2 - Swivel Tilt Control, tilt seat - flexible for general office seating including private office and conference room settings
 - E1 - Basic Synchro Tilt Control - used for management or task, providing ultimate seating comfort throughout the day. Ergonomic control adjusts to the user's body weight and can tilt free or lock in three positions insuring proper back/lumbar support. Optional SS3 Seat Slider on E1.
 - M2 - Euro Multi-Function Control with Seat Slider - performance features for the highest level of multi-task requirements. Fully adjustable for complete ergonomic support. Optional SS2 Seat Slider on M2.
 - R3 - Body Balance Control - ergonomic and weight activated, adjusts to the user's body weight and has a three position tilt limiter ensuring proper back/lumbar support. Additionally, the R3 has an optional SS6 Seat Slider.
- Base
 - High Profile Fiberglass Base (B11) is manufactured of solid injection-molded, glass-reinforced nylon resin, one of the strongest engineered plastics ever developed
 - The base style reflects the aesthetics of today's contemporary offices
 - Polished Aluminum Base (B12) is manufactured by a die-casting process
 - All Bases pass the ANSI/BIFMA strength standards
- Casters
 - Heavy Duty nylon twin wheel casters are manufactured of injection-molded engineer grade nylon
 - Large pivot barrels provide a smooth visual transition to the chair base tower
 - Standardized 60 mm diameter casters for enhanced mobility, leading over the industry standard of 50 mm diameter casters
- Arms
 - Chair arms play a major ergonomic role by helping to avoid tension in the back and shoulders by providing support to arm and shoulder muscles. Highmark's wide arm rest selection allows you to choose a style that fits the way you work.
 - Arm Options - Height Adjustable (A64), Height and Width Adjustable with Lockable 3D Pads (A65), or Polished Aluminum Cantilever (A66)
- Gas Cylinder
 - Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria

Foam

- Seat/Back
 - High Resilient 3D Molded Foam
 - 2.5 lb. density
 - Cushion density and IFD (degree of firmness) have been carefully balanced in order to provide the optimum in seating

REVEL EXECUTIVE/CONFERENCE

Upholstered High Back Swivel 3510 - S2 (Swivel Tilt Control)

Overall Dimensions	26"w x 26"d x 41.25"-47.25"h	Shipping Weight	Armless 49.5 lbs. Arms 55.5 lbs.	
Seat Dimensions	20"w x 18.5"d x 16"-21"h	COM/COV	2.01 yds.	
Back Dimensions	20.5"w x 24"h	COL	46 sq. ft.	

Upholstered High Back Swivel 3510 - E1 (Basic Synchro Tilt Control)

Overall Dimensions	26"w x 26"d x 40"-45.5"h	Shipping Weight	Armless 60.6 lbs. Arms 66.7 lbs.	
Seat Dimensions	20.5"w x 18.5"d x 16"-21"h	COM/COV	2.01 yds.	
Back Dimensions	20.5"w x 24"h	COL	46 sq. ft.	

Upholstered High Back Swivel 3510 - M2 (Multi-Function with Internal Back Height Adjustme Control)

Overall Dimensions	26"w x 26"d x 40.5"-48"h	Shipping Weight	Armless 57.6 lbs. Arms 63.6 lbs.	
Seat Dimensions	20.5"w x 18.5"d x 16.5"-20.5"h	COM/COV	2.01 yds.	
Back Dimensions	20.5"w x 24-26"h	COL	46 sq. ft.	

Upholstered High Back Swivel 3507 - R3 (Body Balance Control)

Overall Dimensions	26"w x 26"d x 40.5"-46"h	Shipping Weight	Armless 56.6 lbs. Arms 60.6 lbs.	
Seat Dimensions	20.5"w x 18.5"d x 16.5"-21.5"h	COM/COV	2.01 yds.	
Back Dimensions	20.5"w x 24"h	COL	46 sq. ft.	

Standard Features	Options Available
<ul style="list-style-type: none"> • 300 lbs. Weight Rating on mechanisms • Tailored Contemporary Styling • Upholstered High Back Swivel • Armless • Molded Back and Seat Foam • High Profile Fiberglass Reinforced Nylon Base • Lifetime Warranty with 5 Year Warranty on Upholstery • ANSI/BIFMA X5.1-2011 Certified • CAL TB 117-2013 Certified • 48-Hour Speed Ship or Express Ten Day Turnaround 	<ul style="list-style-type: none"> • Four Swivel Control Options • Three Arm Options • Internal Back Height Adjustment (E1 or R3; standard on M2) • High Profile Polished Aluminum Base • Soft Wheel Casters • Glides • Seat Slider (M2, E1 or R3) • Fabric, Leather, or Vinyl • Fully assembled chair in carton • CAL TB 133 Certified

Standard Textile Selection

<http://highmarkergo.com/design-resources/textiles/hm/search>
 • All textiles meet CAL TB 117-2013

Frame Construction

Seat	<ul style="list-style-type: none"> • 5/8" one-piece multicore hardwood plywood • Fitted with riveted "T" nuts fixed on both sides of the plywood to prevent dislodging • Self locking, hardened steel, Hex/Socket/Phillips head bolts hold the seat control to the seat pan, two more than the industry standard • Bolts are treated with "NYLOK", a military specified locking compound designed to prevent bolts from loosening due to vibration. The "NYLOK" fasteners semi-permanently secure all hardware seat and back. Locking compound will eliminate bolts backing out of the "T" nuts during normal use.
Back	<ul style="list-style-type: none"> • Durable steel structure upholstered with 100% high tenacity polyester, providing a maximum comfort and support

REVEL EXECUTIVE/CONFERENCE**Frame Construction** *continued*

Upholstery	<ul style="list-style-type: none"> All textiles meet CAL TB 117-2013
Controls	<ul style="list-style-type: none"> S2 - Swivel Tilt Control, tilt seat - flexible for general office seating including private office and conference room settings E1 - Basic Synchro Tilt Control - used for management or task, providing ultimate seating comfort throughout the day. Ergonomic control adjusts to the user's body weight and can tilt free or lock in three positions insuring proper back/lumbar support. Optional SS3 Seat Slider on E1. M2 - Euro Multi-Function Control with Seat Slider - performance features for the highest level of multi-task requirements. Fully adjustable for complete ergonomic support. Optional SS2 Seat Slider on M2. R3 - Body Balance Control - ergonomic and weight activated, adjusts to the user's body weight and has a three position tilt limiter ensuring proper back/lumbar support. Additionally, the R3 has an optional SS6 Seat Slider.
Base	<ul style="list-style-type: none"> High Profile Fiberglass Base (B11) is manufactured of solid injection-molded, glass-reinforced nylon resin, one of the strongest engineered plastics ever developed The base style reflects the aesthetics of today's contemporary offices Polished Aluminum Base (B12) is manufactured by a die-casting process All Bases pass the ANSI/BIFMA strength standards
Casters	<ul style="list-style-type: none"> Heavy Duty nylon twin wheel casters are manufactured of injection-molded engineer grade nylon Large pivot barrels provide a smooth visual transition to the chair base tower Standardized 60 mm diameter casters for enhanced mobility, leading over the industry standard of 50 mm diameter casters
Arms	<ul style="list-style-type: none"> Chair arms play a major ergonomic role by helping to avoid tension in the back and shoulders by providing support to arm and shoulder muscles. Highmark's wide arm rest selection allows you to choose a style that fits the way you work. Arm Options - Height Adjustable (A64), Height and Width Adjustable with Lockable 3D Pads (A65), or Polished Aluminum Cantilever (A66)
Gas Cylinder	<ul style="list-style-type: none"> Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria

Foam

Seat/Back	<ul style="list-style-type: none"> High Resilient 3D Molded Foam 2.5 lb. density Cushion density and IFD (degree of firmness) have been carefully balanced in order to provide the optimum in seating
-----------	--

REVEL EXECUTIVE/CONFERENCE

Upholstered Executive Back Swivel 3515 - S2 (Swivel Tilt Control)

Overall Dimensions	26" w x 26" d x 41.25"-47.25" h	Shipping Weight	Armless 49.5 lbs. Arms 55.5 lbs.	
Seat Dimensions	20" w x 18.5" d x 16"-21" h	COM/COV	2.01 yds.	
Back Dimensions	20.5" w x 24" h	COL	46 sq. ft.	

Upholstered Executive Back Swivel 3515 - E1 (Basic Synchro Tilt Control)

Overall Dimensions	26" w x 26" d x 40"-45.5" h	Shipping Weight	Armless 60.6 lbs. Arms 66.7 lbs.	
Seat Dimensions	20.5" w x 18.5" d x 16"-21" h	COM/COV	2.01 yds.	
Back Dimensions	20.5" w x 24" h	COL	46 sq. ft.	

Upholstered Executive Back Swivel 3515 - R3 (Body Balance Control)

Overall Dimensions	26" w x 26" d x 40.5"-46" h	Shipping Weight	Armless 56.6 lbs. Arms 60.6 lbs.	
Seat Dimensions	20.5" w x 18.5" d x 16.5"-21.5" h	COM/COV	2.01 yds.	
Back Dimensions	20.5" w x 24" h	COL	46 sq. ft.	

Standard Features	Options Available
<ul style="list-style-type: none"> • 300 lbs. Weight Rating on mechanisms • Tailored Contemporary Styling • Upholstered Executive Back Swivel • Armless • Molded Back and Seat Foam • High Profile Fiberglass Reinforced Nylon Base • Lifetime Warranty with 5 Year Warranty on Upholstery • ANSI/BIFMA X5.1-2011 Certified • CAL TB 117-2013 Certified • 48-Hour Speed Ship or Express Ten Day Turnaround 	<ul style="list-style-type: none"> • Four Swivel Control Options • Three Arm Options • High Profile Polished Aluminum Base • Soft Wheel Casters • Glides • Seat Slider (R3) • Fabric, Leather, or Vinyl • Fully assembled chair in carton • CAL TB 133 Certified

Standard Textile Selection

<http://highmarkergo.com/design-resources/textiles/hm/search>
 • All textiles meet CAL TB 117-2013

Frame Construction

Seat	<ul style="list-style-type: none"> • 5/8" one-piece multicore hardwood plywood • Fitted with riveted "T" nuts fixed on both sides of the plywood to prevent dislodging • Self locking, hardened steel, Hex/Socket/Phillips head bolts hold the seat control to the seat pan, two more than the industry standard • Bolts are treated with "NYLOK", a military specified locking compound designed to prevent bolts from loosening due to vibration. The "NYLOK" fasteners semi-permanently secure all hardware seat and back. Locking compound will eliminate bolts backing out of the "T" nuts during normal use.
Back	<ul style="list-style-type: none"> • Durable steel structure upholstered with 100% high tenacity polyester, providing a maximum comfort and support
Upholstery	<ul style="list-style-type: none"> • All textiles meet CAL TB 117-2013
Controls	<ul style="list-style-type: none"> • S2 - Swivel Tilt Control, tilt seat - flexible for general office seating including private office and conference room settings • E1 - Basic Synchro Tilt Control - used for management or task, providing ultimate seating comfort throughout the day. Ergonomic control adjusts to the user's body weight and can tilt free or lock in three positions insuring proper back/lumbar support. Optional SS3 Seat Slider on E1. • M2 - Euro Multi-Function Control with Seat Slider - performance features for the highest level of multi-task requirements. Fully adjustable for complete ergonomic support. Optional SS2 Seat Slider on M2. • R3 - Body Balance Control - ergonomic and weight activated, adjusts to the user's body weight and has a three position tilt limiter ensuring proper back/lumbar support. Additionally, the R3 has an optional SS6 Seat Slider.

REVEL EXECUTIVE/CONFERENCE**Frame Construction** *continued*

-
- | | |
|--------------|--|
| Base | <ul style="list-style-type: none"> • High Profile Fiberglass Base (B11) is manufactured of solid injection-molded, glass-reinforced nylon resin, one of the strongest engineered plastics ever developed • The base style reflects the aesthetics of today's contemporary offices • Polished Aluminum Base (B12) is manufactured by a die-casting process • All Bases pass the ANSI/BIFMA strength standards |
| Casters | <ul style="list-style-type: none"> • Heavy Duty nylon twin wheel casters are manufactured of injection-molded engineer grade nylon • Large pivot barrels provide a smooth visual transition to the chair base tower • Standardized 60 mm diameter casters for enhanced mobility, leading over the industry standard of 50 mm diameter casters |
| Arms | <ul style="list-style-type: none"> • Chair arms play a major ergonomic role by helping to avoid tension in the back and shoulders by providing support to arm and shoulder muscles. Highmark's wide arm rest selection allows you to choose a style that fits the way you work. • Arm Options - Height Adjustable (A64), Height and Width Adjustable with Lockable 3D Pads (A65), or Polished Aluminum Cantilever (A66) |
| Gas Cylinder | <ul style="list-style-type: none"> • Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria |

Foam

-
- | | |
|-----------|--|
| Seat/Back | <ul style="list-style-type: none"> • High Resilient 3D Molded Foam • 2.5 lb. density • Cushion density and IFD (degree of firmness) have been carefully balanced in order to provide the optimum in seating |
|-----------|--|